

FLOS

AIM, White - Specification Sheet by Ronan and Erwan Bouroullec, 2013

Mounting	Ceiling Pendant
Lamp (Bulb) Description	1 Multichip LED 2700K 895lm CRI90 16W
Canopy Dimension	Diameter 5"
Environment	Indoor - Dry Location
Dimming	Phase-cut Dimming / Triac Type
Finish	White

Technical and Product Description The AIM is a form of modern pendant lighting that is constructed from a varnished aluminum sheet with a photo-etched optical polycarbonate shade and an internal reflector of a photo-etched ABS. The cable can be adjusted to allow the fixture head and light distribution to be aimed. The cable has a total length of 29 ft 5 inches (9m) allowing the lamp to be suspended up to 9 ft 8 inches (3m) from the ceiling.

The AIM emits direct lighting. The minimalist pendant lamp has two versions and is available in black or white. Please select model of choice when ordering.

1. AIM - Hardwired: Connects to wall-switch by hardwiring to a 120V junction box (no additional LED driver is required). Comes with a 5" diameter canopy.

2. AIM - Plug-in: Switch and cord that you can plug into a socket (NOT dimmable)

NOTE: If multiple fixtures are to be hardwired to a single junction box, you must purchase a special canopy other than the one that is included. This canopy will allow 3-5 pendants to be hardwired to one junction box (this does not apply to plug-in version).

Electrical

Voltage	120
Switching	Dimmable with Leading Edge (Triac) dimmers
IP Rating	IP20


Physical

Cord Length (inches)	354" - White
Construction Material	Aluminum, Polycarbonate
Weight	7.1 lbs



○ FU009009 White

Dimensional Image



Certifications

